



**MSU MISSISSAUGA LTD.**  
 PHONE: (905) 823-4340  
 FAX: (905) 823-4947  
 WATTS: (800) 268-5336  
 website-www.msmississauga.com

#	QTY.	MATERIAL	DESCRIPTION
1	1440	ALUMINUM 6061-T6	3" X 3" X 1/4" TUBE 6" LG PAINTED
2	40	STAINLESS STEEL 304	1/4" THREADED ROD RUN THROUGH MILLED TUBE CHANNEL
3	69	STAINLESS STEEL 304	1/4" NYLON NUT, FLAT&LOCK WASHER
4	4	GALVANIZED STEEL	3 1/2" X 3 1/2" X 1/4" HSS TUBE
5	3	ALUMINUM 6061-T6	4" X 4" X .15" TUBE SLEEVE PAINTED
6	2	ALUMINUM 6061-T6	1/4" X 2" FLAT BAR SPACER PAINTED
7	4	STAINLESS STEEL 304	M20X240 HVA ADHESIVE ANCHORS C/W NUTS, FLATS & LOCK WASHERS
8	48	STAINLESS STEEL 304	3/8" X 3/4" CSMS C/W NUTS, FLATS & LOCK WASHERS
9	1	GALVANIZED STEEL	TOP - 1/4" X 3" FLAT BAR SPACER BOT - 1/2" X 3" FLAT BAR SPACER
10	2	ALUMINUM 6061-T6	1/4" X 4" FLAT BAR FACE PLATES PAINTED
11	8	GALVANIZED STEEL	1/4" X 4" FLAT BAR GUSSETS WELD TO ITEM #4 & ITEM #12
12	2	GALVANIZED STEEL	3/4" X 5" X 12" BASE PLATE WELD TO ITEM #4 & ITEM #11
13	2	GALVANIZED STEEL	3/4" X 8" X 12" BASE PLATE WELD TO ITEM #14 C/W 4-22mm HOLES
14	8	STAINLESS STEEL 304	3/4" X 3" HEX BOLTS C/W NUT, FLAT & LOCK WASHER
15	2	GALVANIZED STEEL	W150X30 I-BEAM WELD TO ITEM #13 TOP & BOTTOM

NOTE:  
 1) STEEL WELDING SHALL CONFORM TO CSA W47.1 & CSA W59 ALUMINUM WELDING SHALL CONFORM TO CSA W47.2 & CSA W59.2  
 2) CONCRETE STRENGTH 25MPa-REINFORCED 4-10T DESIGNED BY SIGMUND SOUDACK & ASSOCIATES  
 3) ALL STEEL SHALL BE HOT-DIP GALVANIZED AFTER FABRICATION IN CONFORMANCE WITH CSA G-164.  
 4) ALUMINUM SHALL BE PAINTED BY OTHERS

PROJECT: **Amica at Bayview**  
 CONTRACTOR: PANYA CLARK ESPINAL  
 ARCHT/ENGR: J.M. CONNERS  
 QTY: 1 PROJECT NO: #

TITLE:  
 NO. DATE BY DATE 06/16/03 DRG. BY: SCJ PL. NO. 3230  
 SCALE NTS CHK'D BY: DRG. NO.