



**MSU**  
**MISSISSAUGA LTD.**  
 PHONE: (905) 823-4340  
 WATTS: (800) 268-5336  
 WEBSITE: www.msmississauga.com

#	QTY.	MATERIAL	DESCRIPTION
1	3	ALUMINUM 6061-T6	38mm BORDEN B#8 GRATE C/W HOLD DOWN CLIPS
2	4	ALUMINUM 6061-T6	38 X 38 X 6mm ANGLE WELD TO ITEM #3
3	9	ALUMINUM 6061-T6	203X76X7mm C-CHANNEL
4	8	STAINLESS STEEL 304	5/8 X 6" WEDGE ANCHORS C/W NUT, FLAT & LOCK WASHER
5	24	ALUMINUM 6061-T6	1 1/2" SCH. 40 PIPE
6	4	ALUMINUM 6061-T6	38mm BORDEN B#8 GRATE BOLT TO ITEM #3 4-3/8" BOLTS
7	10	ALUMINUM 6061-T6	150X76X10 BASE PLATE WELD TO 2" SCH. 80 PIPE SOCKET
8	28	STAINLESS STEEL 304	1/2 X 1 3/4" HEX BOLTS C/W NUT, FLAT & LOCK WASHER

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND OTHER RIGHTS WHICH ARE THE SOLE AND EXCLUSIVE PROPERTY OF MSU MISSISSAUGA LTD.

POSSESSION OF THIS MATERIAL DOES NOT CONVEY OR TRANSFER ANY RIGHTS THEREIN, AND REPRODUCTION, USE, COPYING OR DISCLOSURE TO OTHERS IS FORBIDDEN WITHOUT THE PRIOR WRITTEN CONSENT OF AN OFFICER OF MSU MISSISSAUGA LTD.

© MSU MISSISSAUGA LTD. - JULY 23RD, 2014

NOTE: 1) ALL ALUMINUM SURFACES IN CONTACT WITH CONCRETE SHALL RECEIVE 2 COATS OF BITUMINOUS PAINT.  
 2) WELDING SHALL CONFORM TO CSA W47.2 CSA W59.2  
 3) REINFORCED TO WITHSTAND A DISTRIBUTED LOAD OF 2.4KPa & CONCENTRATED LOAD OF 1.2KN

PROJECT	LOCATION PROJECT
CONTRACTOR	CONTRACTOR
ARCHT/ENGR	ENGINEER
QTY. 1	PROJECT NO.

TITLE ALUMINUM STILLE C/W RAILING SYSTEM					
REVISION	NO.	DATE	BY	DATE	DWG. BY: SCJ
▲				###/###	P.L. NO. CATA
				SCALE NTS	DESIGNED BY: DWG. NO. GSL-7