

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND OTHER RIGHTS WHICH ARE THE SOLE AND EXCLUSIVE PROPERTY OF MSU MISSISSAUGA LTD.


POSSESSION OF THIS MATERIAL DOES NOT CONVEY OR TRANSFER ANY RIGHTS THEREIN, AND REPRODUCTION, USE, COPYING OR DISCLOSURE TO OTHERS IS FORBIDDEN WITHOUT THE PRIOR WRITTEN CONSENT OF AN OFFICER OF MSU MISSISSAUGA LTD.

© MSU MISSISSAUGA LTD. - JULY 23RD, 2014

MSU MISSISSAUGA LTD.
 PHONE: (905) 823-4340
 WATTS: (800) 268-5336
 www.msmississauga.com

#	QTY.	MATERIAL	DESCRIPTION
1	7	ALUMINUM 6061-T6	19 X 22mm SERRATED OPSD RUNG WELD TO ITEM #2
2	AS REQ.	ALUMINUM 6061-T6	51 X 13mm FLAT BAR
3	2	ALUMINUM 6061-T6	51 X 13 X BRACKETS
4	2	STAINLESS STEEL 304	5/8" x 6 WEDGE ANCHORS C/W NUT FLAT AND LOCK WASHER
5	4	STAINLESS STEEL 304	1/2" x 1 1/2" HEX BOLTS C/W NUT FLAT AND LOCK WASHER
6	1	STAINLESS STEEL 316	3/16 WELDED CHAIN C/W ALUMINUM WELD BRCKTS. & SNAP HOOK

NOTE: 1. ALL ALUMINUM SURFACES IN CONTACT WITH CONCRETE SHALL RECEIVE 2 COATS OF BITUMINOUS PAINT.
 2. WELDING SHALL CONFORM TO CSA-W47.2 & CSA W59.2
 3. WELDED SURFACES REMAIN AS WELDED.



PROJECT	LOCATION PROJECT	
CONTRACTOR	CONTRACTOR	
ARCHT/ENGR	ENGINEER	
QTY.	1	PROJECT NO. #

TITLE ALUMINUM OPSD LADDER C/W EXTENSION		
DATE #/#/#	DWG. BY: SCJ	DWG. NO. CATA OPSD-2
SCALE NTS	CHK'D BY:	